



BinaxNOW™ COVID-19 Ag Home Test Product Expiry Update

April 13, 2023

Dear Valued Customer:

Since the launch of the BinaxNOW™ COVID-19 Ag Card Home Test, Abbott has continued testing for product stability to extend the expiration date and have shared these results with the FDA. Testing has been completed to support a shelf-life (expiration date) of up to 22 months. **This letter is to notify you the BinaxNOW™ COVID-19 Ag Card Home Test, part numbers 195-200 and 195-100, in your possession may now have a longer than labeled product expiry date.**

A listing of BinaxNOW™ COVID-19 Ag Card Home Test lots which qualify for this expiry extension, can be found in Attachment 1. The attachment lists the lot number, currently labeled kit expiry and new kit expiry date.

The device housing has a 2D barcode for use with NAVICA. For customers using the NAVICA app, an update to the NAVICA app is in progress to recognize the extended expiry date.

Please be aware that the product Unique Device Identifier (UDI) barcode on the kit box will display the original expiry date when scanned. This barcode is not used in conjunction with NAVICA.

We are pleased to offer our customers this additional dating in support of their COVID-19 testing efforts. Future extensions may be communicated, as more data becomes available.

If you have further questions, please contact Abbott Technical Services at:

- Telephone: 1 800 257 9525
- Email: ts.scr@abbott.com

Sincerely,

Emily Deane
Divisional Vice President, Quality Assurance

The BinaxNOW™ COVID-19 Ag Home Test has not been FDA cleared or approved; has been authorized by the FDA under an emergency use authorization. The emergency use of this product has been authorized only for the detection of proteins from SARS-CoV-2, not for any other viruses or pathogens, and is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of in vitro diagnostics for detection and/or diagnosis of COVID-19 under Section 564(b)(1) of the Federal Food, Drug and Cosmetic Act, 21 U.S.C. § 360bbb-3(b)(1), unless the declaration is terminated or authorization is revoked sooner.

© 2023 Abbott. All rights reserved. All trademarks referenced are trademarks of either the Abbott group of companies or their respective owners.

Attachment 1 - BinaxNOW™ COVID-19 Ag Home Test lots with extended expiry

Lot Number	Original Expiry	New Expiry
134260	9/6/2021	10/6/2022
134260A	9/6/2021	10/6/2022
134260B	9/6/2021	10/6/2022
134260C	9/6/2021	10/6/2022
134260D	9/6/2021	10/6/2022
134260E	9/6/2021	10/6/2022
134260F	9/6/2021	10/6/2022
134260G	9/6/2021	10/6/2022
134260H	9/6/2021	10/6/2022
134260I	9/6/2021	10/6/2022
134260J	9/6/2021	10/6/2022
136102	9/1/2021	10/1/2022
136102A	9/1/2021	10/1/2022
136102B	9/1/2021	10/1/2022
136102C	9/1/2021	10/1/2022
136102D	9/1/2021	10/1/2022
136102E	9/1/2021	10/1/2022
136102F	9/1/2021	10/1/2022
136102G	9/1/2021	10/1/2022
136102H	9/1/2021	10/1/2022
136102I	9/1/2021	10/1/2022
136102J	9/1/2021	10/1/2022
136103	9/1/2021	10/1/2022
136103A	9/1/2021	10/1/2022
136103B	9/1/2021	10/1/2022
136103C	9/1/2021	10/1/2022
136103D	9/1/2021	10/1/2022
136103E	9/1/2021	10/1/2022
136103F	9/1/2021	10/1/2022
136103G	9/1/2021	10/1/2022
136103H	9/1/2021	10/1/2022
136103I	9/1/2021	10/1/2022
136103J	9/1/2021	10/1/2022
136103K	9/1/2021	10/1/2022
136903A	9/6/2021	10/6/2022
136903B	9/6/2021	10/6/2022
136903C	9/6/2021	10/6/2022
136903D	9/6/2021	10/6/2022
136903E	9/6/2021	10/6/2022
136903F	9/6/2021	10/6/2022
136903G	9/6/2021	10/6/2022
136903H	9/6/2021	10/6/2022

Lot Number	Original Expiry	New Expiry
136903J	9/6/2021	10/6/2022
136903K	9/6/2021	10/6/2022
137133A	9/6/2021	10/6/2022
137133B	9/6/2021	10/6/2022
137133C	9/6/2021	10/6/2022
137133D	9/6/2021	10/6/2022
137133E	9/6/2021	10/6/2022
137426	9/8/2021	10/8/2022
137426A	9/8/2021	10/8/2022
137426B	9/8/2021	10/8/2022
137426C	9/8/2021	10/8/2022
137426D	9/8/2021	10/8/2022
137426E	9/8/2021	10/8/2022
137426F	9/8/2021	10/8/2022
137426G	9/8/2021	10/8/2022
137426H	9/8/2021	10/8/2022
137426I	9/8/2021	10/8/2022
137426J	9/8/2021	10/8/2022
137428A	9/8/2021	10/8/2022
137428B	9/8/2021	10/8/2022
137428C	9/8/2021	10/8/2022
137428D	9/8/2021	10/8/2022
137428E	9/8/2021	10/8/2022
137525	9/10/2021	10/10/2022
137748A	9/10/2021	10/10/2022
137748B	9/10/2021	10/10/2022
137748C	9/10/2021	10/10/2022
137748D	9/10/2021	10/10/2022
137748E	9/10/2021	10/10/2022
137748F	9/10/2021	10/10/2022
138684	9/12/2021	10/12/2022
138684A	9/12/2021	10/12/2022
138684B	9/12/2021	10/12/2022
138684C	9/12/2021	10/12/2022
138684D	9/12/2021	10/12/2022
138684E	9/12/2021	10/12/2022
138684F	9/12/2021	10/12/2022
138684G	9/12/2021	10/12/2022
138684H	9/12/2021	10/12/2022
138684I	9/12/2021	10/12/2022
139051	9/18/2021	10/18/2022
139051A	9/18/2021	10/18/2022
139051B	9/18/2021	10/18/2022
139051C	9/18/2021	10/18/2022

Lot Number	Original Expiry	New Expiry
139051D	9/18/2021	10/18/2022
139051E	9/18/2021	10/18/2022
139051F	9/18/2021	10/18/2022
139051G	9/18/2021	10/18/2022
139051H	9/18/2021	10/18/2022
139051I	9/18/2021	10/18/2022
139051J	9/18/2021	10/18/2022
139216A	9/17/2021	10/17/2022
139216B	9/17/2021	10/17/2022
139216C	9/17/2021	10/17/2022
139216D	9/17/2021	10/17/2022
139380	9/18/2021	10/18/2022
139380A	9/18/2021	10/18/2022
139380B	9/18/2021	10/18/2022
139380C	9/18/2021	10/18/2022
139380D	9/18/2021	10/18/2022
139380E	9/18/2021	10/18/2022
139380F	9/18/2021	10/18/2022
139380G	9/18/2021	10/18/2022
139380I	9/18/2021	10/18/2022
139380K	9/18/2021	10/18/2022
139520A	9/21/2021	10/21/2022
139520B	9/21/2021	10/21/2022
139520C	9/21/2021	10/21/2022
139520D	9/21/2021	10/21/2022
139811	9/19/2021	10/19/2022
139811A	9/19/2021	10/19/2022
139811B	9/19/2021	10/19/2022
139811C	9/19/2021	10/19/2022
139811D	9/19/2021	10/19/2022
139811E	9/19/2021	10/19/2022
139811F	9/19/2021	10/19/2022
139811G	9/19/2021	10/19/2022
139811H	9/19/2021	10/19/2022
139811I	9/19/2021	10/19/2022
139811J	9/19/2021	10/19/2022
140591A	9/22/2021	10/22/2022
140591X	9/22/2021	10/22/2022
140591Y	9/22/2021	10/22/2022
140591Z	9/22/2021	10/22/2022
140709	9/28/2021	10/28/2022
140709B	9/28/2021	10/28/2022
140709C	9/28/2021	10/28/2022
140709D	9/28/2021	10/28/2022

Lot Number	Original Expiry	New Expiry
140709E	9/28/2021	10/28/2022
140709H	9/28/2021	10/28/2022
140869	9/22/2021	10/22/2022
140869A	9/22/2021	10/22/2022
140869B	9/22/2021	10/22/2022
140869C	9/22/2021	10/22/2022
140869D	9/22/2021	10/22/2022
140869E	9/22/2021	10/22/2022
140869F	9/22/2021	10/22/2022
140869G	9/22/2021	10/22/2022
140869H	9/22/2021	10/22/2022
140869I	9/22/2021	10/22/2022
140869J	9/22/2021	10/22/2022
141320A	9/28/2021	10/28/2022
141320B	9/28/2021	10/28/2022
141320C	9/28/2021	10/28/2022
141320D	9/28/2021	10/28/2022
141320E	9/28/2021	10/28/2022
141476W	9/27/2021	10/27/2022
141476X	9/27/2021	10/27/2022
141476Y	9/27/2021	10/27/2022
141476Z	9/27/2021	10/27/2022
141579A	9/29/2021	10/29/2022
141579B	9/29/2021	10/29/2022
141579C	9/29/2021	10/29/2022
141579D	9/29/2021	10/29/2022
141804A	10/5/2021	11/5/2022
141804B	10/5/2021	11/5/2022
141804C	10/5/2021	11/5/2022
141804D	10/5/2021	11/5/2022
141804E	10/5/2021	11/5/2022
142400	10/3/2021	11/3/2022
142400A	10/3/2021	11/3/2022
142400B	10/3/2021	11/3/2022
142400C	10/3/2021	11/3/2022
142400D	10/3/2021	11/3/2022
142400E	10/3/2021	11/3/2022
142425	10/4/2021	11/4/2022
142802	10/5/2021	11/5/2022
142802A	10/5/2021	11/5/2022
142802B	10/5/2021	11/5/2022
143543A	10/5/2021	11/5/2022
143543B	10/5/2021	11/5/2022
143543C	10/5/2021	11/5/2022

Lot Number	Original Expiry	New Expiry
143929	10/15/2021	11/15/2022
143929A	10/15/2021	11/15/2022
143929B	10/15/2021	11/15/2022
143929C	10/15/2021	11/15/2022
143929D	10/15/2021	11/15/2022
147164A	11/5/2021	12/5/2022
147164B	11/5/2021	12/5/2022
147164C	11/5/2021	12/5/2022
147164D	11/5/2021	12/5/2022
147164E	11/5/2021	12/5/2022
147647A	11/5/2021	12/5/2022
147647B	11/5/2021	12/5/2022
147647C	11/5/2021	12/5/2022
148338A	11/8/2021	12/8/2022
148338B	11/8/2021	12/8/2022
148357	11/8/2021	12/8/2022
148357A	11/8/2021	12/8/2022
148357B	11/8/2021	12/8/2022
148357C	11/8/2021	12/8/2022
148357D	11/8/2021	12/8/2022
148357E	11/8/2021	12/8/2022
148392A	11/5/2021	12/5/2022
148392B	11/5/2021	12/5/2022
148392C	11/5/2021	12/5/2022
148660	11/5/2021	12/5/2022
148660A	11/5/2021	12/5/2022
148660B	11/5/2021	12/5/2022
148660C	11/5/2021	12/5/2022
148660D	11/5/2021	12/5/2022
148660E	11/5/2021	12/5/2022
148660F	11/5/2021	12/5/2022
148660G	11/5/2021	12/5/2022
148660H	11/5/2021	12/5/2022
148660I	11/5/2021	12/5/2022
148660J	11/5/2021	12/5/2022
148756	11/13/2021	12/13/2022
148756A	11/13/2021	12/13/2022
148756B	11/13/2021	12/13/2022
148756C	11/13/2021	12/13/2022
148756D	11/13/2021	12/13/2022
148756E	11/13/2021	12/13/2022
148756F	11/13/2021	12/13/2022
148984	11/13/2021	12/13/2022
148984A	11/13/2021	12/13/2022

Lot Number	Original Expiry	New Expiry
148985	11/13/2021	12/13/2022
148985A	11/13/2021	12/13/2022
148985B	11/13/2021	12/13/2022
148985C	11/13/2021	12/13/2022
148985D	11/13/2021	12/13/2022
148985E	11/13/2021	12/13/2022
149037	11/13/2021	12/13/2022
149037A	11/13/2021	12/13/2022
149037B	11/13/2021	12/13/2022
149037C	11/13/2021	12/13/2022
149037D	11/13/2021	12/13/2022
149037E	11/13/2021	12/13/2022
149037F	11/13/2021	12/13/2022
149956	11/19/2021	12/19/2022
149956A	11/19/2021	12/19/2022
149956B	11/19/2021	12/19/2022
149956C	11/19/2021	12/19/2022
149956D	11/19/2021	12/19/2022
150087	11/21/2021	12/21/2022
150087A	11/21/2021	12/21/2022
150087B	11/21/2021	12/21/2022
150358	11/19/2021	12/19/2022
150358A	11/19/2021	12/19/2022
150358B	11/19/2021	12/19/2022
173422A	11/15/2022	9/15/2023
173422B	11/15/2022	9/15/2023
173422C	11/15/2022	9/15/2023
173998A	10/13/2022	8/13/2023
173998B	10/13/2022	8/13/2023
174087A	11/20/2022	9/20/2023
174105A	10/13/2022	8/13/2023
174110A	10/13/2022	8/13/2023
174110B	10/13/2022	8/13/2023
174292A	11/6/2022	9/6/2023
174292B	11/6/2022	9/6/2023
174365A	11/21/2022	9/21/2023
174681A	11/21/2022	9/21/2023
174681B	11/21/2022	9/21/2023
175124A	11/21/2022	9/21/2023
175124B	11/21/2022	9/21/2023
175438A	11/21/2022	9/21/2023
175438B	11/21/2022	9/21/2023
175450A	11/21/2022	9/21/2023
175450B	11/21/2022	9/21/2023

Lot Number	Original Expiry	New Expiry
175450C	11/21/2022	9/21/2023
175620A	11/21/2022	9/21/2023
175620B	11/21/2022	9/21/2023
175824A	11/19/2022	9/19/2023
175824B	11/19/2022	9/19/2023
175883A	11/21/2022	9/21/2023
175933A	12/2/2022	10/2/2023
176321A	11/21/2022	9/21/2023
176321B	11/21/2022	9/21/2023
176339A	11/21/2022	9/21/2023
176339B	11/21/2022	9/21/2023
176339C	11/21/2022	9/21/2023
176791A	12/9/2022	10/9/2023
176791B	12/9/2022	10/9/2023
177523A	11/21/2022	9/21/2023
177523B	11/21/2022	9/21/2023
178674	12/21/2022	10/21/2023
179069A	1/12/2023	10/14/2023
179069B	1/12/2023	10/14/2023
180105	1/1/2023	11/1/2023
180107	1/2/2023	11/2/2023
180109	1/1/2023	11/1/2023
180167	1/2/2023	11/2/2023
180377	1/4/2023	11/4/2023
180440	12/28/2022	10/28/2023
180685	1/1/2023	11/1/2023
180858	1/6/2023	11/6/2023
180870	1/7/2023	11/7/2023
180891A	1/28/2023	11/6/2023
180891B	1/28/2023	11/6/2023
181008A	1/28/2023	11/10/2023
181008B	1/28/2023	11/10/2023
181008C	1/28/2023	11/10/2023
181139	1/8/2023	11/8/2023
181163	1/7/2023	11/7/2023
181455A	2/4/2023	11/12/2023
181455B	2/4/2023	11/12/2023
181455C	2/4/2023	11/12/2023
182315	1/6/2023	11/6/2023
182861	1/28/2023	11/18/2023
185760A	4/30/2023	11/30/2023
185760B	4/30/2023	11/30/2023
185958A	5/2/2023	12/2/2023
185958B	5/2/2023	12/2/2023

Lot Number	Original Expiry	New Expiry
185958C	5/2/2023	12/2/2023
186702	5/6/2023	12/6/2023
186704B	5/7/2023	12/7/2023
186994A	5/7/2023	12/7/2023
186994B	5/7/2023	12/7/2023
187030A	4/6/2023	11/6/2023
187030B	4/6/2023	11/6/2023
187030C	4/6/2023	11/6/2023
187032A	4/13/2023	11/13/2023
187032B	4/13/2023	11/13/2023
187297	4/15/2023	11/15/2023
187298	5/8/2023	12/8/2023
187302A	5/2/2023	12/2/2023
187302B	5/2/2023	12/2/2023
187435A	5/9/2023	12/9/2023
187435B	5/9/2023	12/9/2023
187495	4/28/2023	11/28/2023
187636A	5/11/2023	12/11/2023
187636B	5/11/2023	12/11/2023
188045A	5/12/2023	12/12/2023

Abbott Diagnostics Scarborough, Inc.: BinaxNOW™ COVID-19 Ag Self Test
15-month to 22-month shelf-life extension granted by the FDA December 21, 2022

Lot Number	Tests with this printed expiration date (Year-Month-Day)	Now have this extended expiration date (Year-Month-Day)
155772, 160046, 160046A, 160046B, 160046C, 160048	2022-03-20	2023-01-20
155962, 155962A, 155962B, 155962C, 155962D, 156064, 156375, 157899, 157899A, 157899B, 160108	2022-03-21	2023-01-21
156262	2022-03-22	2023-01-22
160130, 160130A	2022-03-23	2023-01-23
163671, 163698, 163703	2022-03-24	2023-01-24
157913, 166948	2022-03-26	2023-01-26
156796, 157101, 158078	2022-03-27	2023-01-27
157141, 157519, 157901, 158058	2022-03-28	2023-01-28
158619, 159338	2022-03-29	2023-01-29
158172, 158176, 159606	2022-03-31	2023-01-30
158187, 159341, 159437, 166704	2022-04-01	2023-02-01
159258	2022-04-02	2023-02-02
158379, 158397, 158412, 158721, 158725, 167540	2022-04-03	2023-02-03
158576, 158613, 166503	2022-04-04	2023-02-04
161151, 162779, 163395, 167585	2022-04-08	2023-02-08
167182, 167200, 167587, 168377	2022-04-09	2023-02-09
163396, 167734	2022-04-11	2023-02-11
163447	2022-04-13	2023-02-13
166957	2022-04-16	2023-02-16
161068, 168194, 168960	2022-04-17	2023-02-17
167149, 168184	2022-04-23	2023-02-23
160870, 167289, 167745, 168190, 168247, 168339, 169067	2022-04-24	2023-02-24
167278	2022-04-28	2023-02-28
167286	2022-04-29	2023-02-28
160973, 161009, 161236, 161239, 161332, 162659, 162815, 167014, 168197, 168212, 168251, 168383, 168484, 168795, 168796	2022-04-30	2023-02-28
160836, 165497, 168349, 168392, 168619, 168638, 168654, 168658, 168717, 168805, 168820, 168845, 168943, 169007, 169069, 169111, 169113, 169242, 169419, 169760	2022-05-01	2023-03-01
167481, 168119, 168373, 168743, 168747, 169094, 169444, 169482, 169498, 169797, 170051, 170428, 170504, 170765, 171210, 171313, 171568, 171574, 171597, 171625, 172272, 173238	2022-05-02	2023-03-02
172441	2022-05-19	2023-04-19

Please note that the lot numbers in this table only represent the numeric portion of the lot number identification for test kits whose printed expiration dates have been extended. Customers may find that their test kits have printed lot numbers with additional alphabetic characters after the numeric value. If your test has a lot number listed in the table above followed by additional letters, the extended expiration dates listed also apply.

For example: a test with lot number 201843AR or 201843C, would have the same extended expiration date as lot number 201843 indicated on the table.

Lot Number	Tests with this printed expiration date (Year-Month-Day)	Now have this extended expiration date (Year-Month-Day)
169072, 169341, 169410, 169456, 169501, 170041, 170055, 170185, 170304, 170307, 170375, 170483, 170845, 170941, 171138, 171523, 171572, 171583, 174013	2022-06-19	2023-04-19
172741	2022-06-20	2023-08-12
169206, 169274, 169812, 169866, 169889, 169972, 170832, 170858, 171257, 171259, 171295, 171325, 171360, 171478, 171507, 171584, 171627, 171646, 171698, 172233, 172339, 172420, 172516	2022-06-25	2023-04-25
175553	2022-08-18	2023-08-08
176643	2022-08-18	2023-08-14
168088	2022-08-31	2023-06-30
172637	2022-09-11	2023-07-11
179175	2022-09-11	2023-09-22
181922	2022-09-11	2023-10-11
176820	2022-09-12	2023-08-16
179194	2022-09-13	2023-08-08
178291	2022-09-13	2023-09-22
180391, 181797	2022-09-13	2023-10-12
178238	2022-09-14	2023-08-08
180108, 181497	2022-09-14	2023-10-13
178957	2022-09-15	2023-09-21
178260, 178963	2022-09-15	2023-10-08
180502, 184800	2022-09-15	2023-10-14
180363	2022-09-15	2023-10-15
181721	2022-09-17	2023-10-17
171771	2022-09-18	2023-07-18
179130	2022-09-18	2023-10-16
172247	2022-09-19	2023-07-19
173413	2022-09-22	2023-07-22
172985	2022-09-26	2023-07-26
169446	2022-09-30	2023-07-30
171555	2022-10-01	2023-08-01
175249, 177485	2022-10-03	2023-08-03
180966	2022-10-05	2023-11-02
171107, 172140, 172347, 172378, 172524, 172688, 172725, 172986, 173258, 173264, 173401, 173501, 173770, 173784, 174885, 175071, 175245, 175458, 175705, 175852, 175954, 176170, 177128	2022-10-08	2023-08-08
172574, 172611	2022-10-10	2023-08-10

Please note that the lot numbers in this table only represent the numeric portion of the lot number identification for test kits whose printed expiration dates have been extended. Customers may find that their test kits have printed lot numbers with additional alphabetic characters after the numeric value. If your test has a lot number listed in the table above followed by additional letters, the extended expiration dates listed also apply.

For example: a test with lot number 201843AR or 201843C, would have the same extended expiration date as lot number 201843 indicated on the table.

Lot Number	Tests with this printed expiration date (Year-Month-Day)	Now have this extended expiration date (Year-Month-Day)
171705, 171946, 172128, 172429, 173318, 173458, 173463, 173783, 174268, 174404	2022-10-12	2023-08-12
171963, 172373, 172425, 172450, 172455, 172699, 172971, 173231, 173444, 173451, 173466, 173977, 174054, 174074, 174105, 174282, 175116, 175380, 175639	2022-10-13	2023-08-13
173473, 173828, 174151, 174276, 174279, 174281, 174283, 174566, 174597, 174605, 174799, 174815, 174922, 175000, 175003, 175033, 175584, 176097, 176334, 177741, 178037, 178296	2022-10-14	2023-08-14
174101, 174614, 174903, 175146, 175212, 175332, 175407, 175522, 175523, 175555, 175659, 175686, 175756, 175835, 176126, 176280, 176644, 176655, 177517, 177917	2022-10-16	2023-08-16
173838	2022-11-01	2023-09-01
173830, 175905, 175977, 176132, 176360B, 176645, 176666C, 176982, 177424, 178298, 178319, 178739, 179939, 180659	2022-11-07	2023-09-07
175767, 175947, 176078, 176167, 176349, 176362, 176770, 176834, 177109, 177522, 178358	2022-11-10	2023-09-10
175223, 177264, 177525, 178767, 179114, 179552	2022-11-21	2023-09-21
176360, 176666	2022-11-22	2023-09-07
175860, 175937, 176134, 177341, 177486, 177868, 178253, 178265, 178574, 178972, 178973, 179506, 179938, 182698, 183689	2022-11-22	2023-09-22
176569	2022-12-03	2023-10-03
175866	2022-12-04	2023-10-04
177448	2022-12-06	2023-10-06
177493, 177524, 177745, 178270, 178300, 178303, 178625, 178740, 178791, 178970, 179108, 179262, 179297, 179420, 179505, 179595, 179603, 180049	2022-12-08	2023-10-08
176791	2022-12-09	2023-10-09
179497	2022-12-15	2023-10-15
177746, 178007, 178268, 178292, 178297, 178321, 178814, 178971, 179014, 179015, 179192, 179238, 179512, 179586, 179884, 179930	2022-12-17	2023-10-17
178786, 179050, 179284, 179411, 179602, 179667, 179797, 179929, 179936, 180039, 180050, 180072, 180075, 180162, 180429, 180504, 180508, 180652	2022-12-19	2023-10-19
178497	2022-12-22	2023-10-22
179601, 179923, 180449	2022-12-29	2023-10-29
179851, 179914	2022-12-30	2023-10-30
179933, 180035, 180618, 180641	2022-12-31	2023-10-31

Please note that the lot numbers in this table only represent the numeric portion of the lot number identification for test kits whose printed expiration dates have been extended. Customers may find that their test kits have printed lot numbers with additional alphabetic characters after the numeric value. If your test has a lot number listed in the table above followed by additional letters, the extended expiration dates listed also apply.

For example: a test with lot number 201843AR or 201843C, would have the same extended expiration date as lot number 201843 indicated on the table.

Lot Number	Tests with this printed expiration date (Year-Month-Day)	Now have this extended expiration date (Year-Month-Day)
179940, 180140, 180168, 180637	2023-01-01	2023-11-01
180390	2023-01-02	2023-10-15
180000, 180160, 180410, 181016, 181452, 181454, 181456, 181683, 181921	2023-01-02	2023-11-02
180165, 180166, 180650, 181799	2023-01-03	2023-11-03
180646, 180691	2023-01-04	2023-11-04
180387	2023-01-05	2023-11-05
180844, 180848	2023-01-06	2023-11-06
181440, 181742	2023-01-07	2023-11-07
181121, 181801	2023-01-09	2023-11-09
182187	2023-01-10	2023-11-10
181632, 181851	2023-01-11	2023-11-11
179069	2023-01-12	2023-10-14
181774	2023-01-13	2023-11-11
182850	2023-01-13	2023-11-12
180133	2023-01-15	2023-10-29
180421	2023-01-15	2023-11-03
180470, 180483, 180539	2023-01-15	2023-11-04
180555	2023-01-15	2023-11-05
180989	2023-01-15	2023-11-06
180958	2023-01-15	2023-11-09
181875	2023-01-15	2023-11-14
182307	2023-01-16	2023-11-12
181889	2023-01-16	2023-11-13
182285, 182326	2023-01-16	2023-11-16
180913	2023-01-28	2023-11-09
182546	2023-01-28	2023-11-12
182132	2023-01-28	2023-11-15
182270, 182364	2023-01-28	2023-11-16
182410	2023-01-28	2023-11-17
182411, 182569, 183167	2023-01-28	2023-11-18
183457	2023-01-28	2023-11-20
183159	2023-01-28	2023-11-21
195272	2023-01-28	2023-11-28
182353	2023-02-04	2023-11-10
181773	2023-02-04	2023-11-11
181425, 181920	2023-02-04	2023-11-13
182479	2023-02-04	2023-11-14

Please note that the lot numbers in this table only represent the numeric portion of the lot number identification for test kits whose printed expiration dates have been extended. Customers may find that their test kits have printed lot numbers with additional alphabetic characters after the numeric value. If your test has a lot number listed in the table above followed by additional letters, the extended expiration dates listed also apply.

For example: a test with lot number 201843AR or 201843C, would have the same extended expiration date as lot number 201843 indicated on the table.

Lot Number	Tests with this printed expiration date (Year-Month-Day)	Now have this extended expiration date (Year-Month-Day)
182170, 182608	2023-02-04	2023-11-15
182318	2023-02-04	2023-11-16
182666, 183500	2023-02-04	2023-11-18
182924, 184212	2023-02-04	2023-11-20
184302	2023-02-04	2023-11-22
183177	2023-02-04	2023-11-23
183847	2023-02-04	2023-11-24
183923	2023-02-04	2023-11-25
189382	2023-02-26	2023-09-26
184328	2023-03-03	2023-10-03
180380, 186657, 186805	2023-03-11	2023-10-11
185809, 186030	2023-03-13	2023-10-13
185814	2023-03-14	2023-10-14
180939	2023-03-15	2023-10-14
185769, 186033, 186803, 186804	2023-03-15	2023-10-15
186666	2023-03-16	2023-10-16
184603	2023-04-05	2023-11-05
184941, 185257	2023-04-07	2023-11-07
184618, 184665, 185500	2023-04-08	2023-11-08
183891	2023-04-09	2023-11-09
186913, 188541	2023-04-10	2023-11-10
184203	2023-04-11	2023-11-11
187299	2023-04-13	2023-11-13
188533	2023-04-14	2023-11-14
182488, 187395, 187598	2023-04-15	2023-11-15
182355, 182681, 182697, 186032	2023-04-16	2023-11-16
182969, 188232	2023-04-17	2023-11-17
189685, 190034	2023-04-18	2023-11-18
182591, 182610, 182696, 182895, 187998, 190030	2023-04-19	2023-11-19
183909	2023-04-20	2023-11-20
182908, 182961, 183886, 184029, 188499, 188760	2023-04-21	2023-11-21
183141, 183145, 183941, 184216, 189184, 190322	2023-04-22	2023-11-22
183181, 184215, 184225, 184558, 189698, 190310	2023-04-23	2023-11-23
183605, 184483, 189940, 189947, 197036	2023-04-24	2023-11-24
183902, 184270, 184801, 191159, 194027	2023-04-25	2023-11-25
184213, 184244, 184297, 187296, 187301, 187625, 188230, 188563, 188605, 191165	2023-04-26	2023-11-26
184499, 184516, 184787, 185000, 185246, 185280, 187424, 187931, 190459	2023-04-27	2023-11-27

Please note that the lot numbers in this table only represent the numeric portion of the lot number identification for test kits whose printed expiration dates have been extended. Customers may find that their test kits have printed lot numbers with additional alphabetic characters after the numeric value. If your test has a lot number listed in the table above followed by additional letters, the extended expiration dates listed also apply.

For example: a test with lot number 201843AR or 201843C, would have the same extended expiration date as lot number 201843 indicated on the table.

Lot Number	Tests with this printed expiration date (Year-Month-Day)	Now have this extended expiration date (Year-Month-Day)
185272, 185630, 187033, 187422, 187490, 188234	2023-04-28	2023-11-28
184992, 185386, 185634, 185843, 185847, 187294, 189982, 193088	2023-04-29	2023-11-29
185328, 185484, 185599, 185741, 185748, 185811, 185846, 185884, 186692, 188235, 188278, 188405, 188771, 189984, 190102	2023-04-30	2023-11-30
185602, 185617, 185777, 185892, 186900, 187047, 188787	2023-05-01	2023-12-01
185788, 185944, 186149, 186425, 188893	2023-05-02	2023-12-02
185971, 185976, 186136, 186419, 188607, 189983, 190320	2023-05-03	2023-12-03
186138, 186139, 186164, 186178, 186342, 186406, 188501	2023-05-04	2023-12-04
186137, 186370, 186701, 186954, 187464	2023-05-05	2023-12-05
186483, 187352, 187788, 188414, 189941, 189946	2023-05-06	2023-12-06
186498, 186704, 187031, 187488, 189192	2023-05-07	2023-12-07
187367, 187489, 187492, 187494, 188905, 189615, 189944	2023-05-08	2023-12-08
187368, 187401, 187623, 187850, 187889, 190541, 191731, 191957, 193689	2023-05-09	2023-12-09
187034, 187411, 187423, 187942	2023-05-10	2023-12-10
187946, 187991, 188120, 188123, 188488, 190202, 191397	2023-05-11	2023-12-11
187871, 187932, 188045, 188111, 188150, 188233, 190564, 193806, 198849	2023-05-12	2023-12-12
187959, 187989, 190243, 190562, 191967, 193807	2023-05-13	2023-12-13
188048, 188489, 188490, 188655, 188769, 188772, 188782, 191329	2023-05-14	2023-12-14
188670, 188770, 189955, 190229, 191987, 193748, 193764	2023-05-15	2023-12-15
188726, 189148, 189482, 190245	2023-05-16	2023-12-16
188666, 189157, 189159, 189182, 189300, 191396, 191969, 193606	2023-05-17	2023-12-17
189347, 189390, 189479, 189609, 189687, 190097, 191991	2023-05-18	2023-12-18
189381, 189389, 189478, 189480, 189483, 189608, 189850, 193477	2023-05-19	2023-12-19
189379, 189610, 189612, 189667, 189704, 189852, 190312, 192003, 192212, 193586	2023-05-20	2023-12-20
189627, 190140, 190434, 190448, 190456, 190538	2023-05-21	2023-12-21
189849, 189962, 190151, 190255, 193358	2023-05-22	2023-12-22
189637, 190124, 190199, 190242, 191227, 193467, 194555	2023-05-23	2023-12-23
190256, 190458, 191263, 191279, 193628	2023-05-24	2023-12-24
190775, 190805, 190837, 191054, 191368, 197614	2023-05-25	2023-12-25
191050, 191051, 192000, 192015, 192319, 192955, 202034	2023-05-26	2023-12-26
191055, 191693, 192376, 192377, 192454, 193621, 194551, 197039, 197041	2023-05-27	2023-12-27

Please note that the lot numbers in this table only represent the numeric portion of the lot number identification for test kits whose printed expiration dates have been extended. Customers may find that their test kits have printed lot numbers with additional alphabetic characters after the numeric value. If your test has a lot number listed in the table above followed by additional letters, the extended expiration dates listed also apply.

For example: a test with lot number 201843AR or 201843C, would have the same extended expiration date as lot number 201843 indicated on the table.

Lot Number	Tests with this printed expiration date (Year-Month-Day)	Now have this extended expiration date (Year-Month-Day)
191576, 192304, 192308, 192311	2023-05-28	2023-12-28
191053, 191686, 191687, 192452, 192468, 192490, 192561, 192714, 194790, 198011	2023-06-01	2024-01-01
192573, 192584, 192941, 195283	2023-06-02	2024-01-02
192379, 192713, 193229, 193393, 193623, 194460	2023-06-03	2024-01-03
192812, 192823, 192842, 192846, 192850, 192891, 192899, 192979, 193008, 193025, 193256, 193376, 193808, 193925, 193964, 194237, 194708, 195647, 200578	2023-06-04	2024-01-04
193259, 193330, 193890, 194788	2023-06-05	2024-01-05
192715, 193019, 193257, 193611, 193629	2023-06-06	2024-01-06
193036, 193258, 193622, 193709, 193895, 194926, 195299, 195978, 196212, 197752	2023-06-07	2024-01-07
195290	2023-06-08	2023-12-01
193371, 193391, 193624, 194723, 196041, 198092	2023-06-08	2024-01-08
193668, 194195, 194854, 195262, 195555	2023-06-09	2024-01-09
193682, 193727, 193816, 194208, 194241, 194388, 195959, 196660, 197950	2023-06-10	2024-01-10
194622	2023-06-11	2023-12-01
193673, 194293, 195061, 195224, 195482, 195639, 201356	2023-06-11	2024-01-11
194307, 194690, 195304, 195979, 197771	2023-06-12	2024-01-12
194721	2023-06-13	2023-12-01
194324, 194735, 195025, 195031, 195454, 196140, 196141, 196222	2023-06-13	2024-01-13
195076, 195962, 196037, 196551, 196684, 196905, 196918, 200617, 202643, 202644, 203044, 203306, 205278, 205281, 205480, 205481, 205695, 205734, 205735	2023-06-14	2024-01-14
195277	2023-06-15	2023-12-01
195041, 195279, 195966, 196180, 196925, 197040, 197088, 197613	2023-06-15	2024-01-15
195296, 195297, 195314, 196077, 196563, 196611, 197042, 197276	2023-06-16	2024-01-16
195293, 195298, 195563, 197625, 199757	2023-06-17	2024-01-17
195507, 195584, 197615, 198605, 198848, 200622	2023-06-18	2024-01-18
195455	2023-06-19	2023-12-01
195594, 196066, 197457, 197459, 197708, 200122	2023-06-19	2024-01-19
195610, 196029, 196060, 196990, 197461, 197622, 197626, 200623	2023-06-20	2024-01-20
196043, 196084, 197274, 197458, 197659, 197722, 197750, 197760, 199540, 201261	2023-06-21	2024-01-21

Please note that the lot numbers in this table only represent the numeric portion of the lot number identification for test kits whose printed expiration dates have been extended. Customers may find that their test kits have printed lot numbers with additional alphabetic characters after the numeric value. If your test has a lot number listed in the table above followed by additional letters, the extended expiration dates listed also apply.

For example: a test with lot number 201843AR or 201843C, would have the same extended expiration date as lot number 201843 indicated on the table.

Lot Number	Tests with this printed expiration date (Year-Month-Day)	Now have this extended expiration date (Year-Month-Day)
196075, 196220, 196240, 196629, 196667, 197001, 197191, 197670, 197682, 198556, 198850, 199121, 199234, 199236, 199264, 200135, 201095	2023-06-22	2024-01-22
196606, 196680, 196927, 197729, 199796, 200201	2023-06-23	2024-01-23
196889, 197860, 198330, 198456, 199515, 199622, 200211	2023-06-24	2024-01-24
196965, 197024, 197764, 197765, 198720, 199299, 200145	2023-06-25	2024-01-25
197134, 197168, 197192, 197193, 197202, 197820, 201330	2023-06-26	2024-01-26
197685, 197739, 198071, 198090, 198851, 199676, 200154	2023-06-27	2024-01-27
197703, 197726, 197930, 197958, 198781, 199238, 199558, 199799	2023-06-28	2024-01-28
197755, 198576, 199108, 199176, 199177, 199200, 199241, 199577, 200177, 201130, 203637	2023-06-29	2024-01-29
197967, 198604, 199712, 199790, 200197, 200252, 200625, 201610, 201625, 205525	2023-06-30	2024-01-30
198564, 198603, 198669, 198717, 198741, 198791, 199587, 199595, 199705, 200621, 200624, 201170, 201173, 201329, 201371, 201884	2023-07-01	2024-02-01
198782, 198783, 199186, 199300, 200210, 200251, 200253, 200263, 200620, 200627, 201172, 201290, 201303	2023-07-02	2024-02-02
199199, 199589, 200212, 200626, 200883, 201104, 201151, 201174, 201311, 201315, 202149	2023-07-03	2024-02-03
199237, 199325, 200884, 201169, 201327, 201328, 201331, 201447, 202146	2023-07-04	2024-02-04
199463, 199485, 199596, 199862, 200198, 200550, 201430, 201626, 201627, 201628, 201687, 201692, 202555, 202561, 203484, 205527	2023-07-05	2024-02-05
199613, 199625, 199840, 199881, 200087, 200553, 200606, 201736, 201737, 202185, 202474, 202559, 203045, 206247, 206250, 207919, 208100, 208398	2023-07-06	2024-02-06
201728, 202562, 202863	2023-07-07	2024-02-07
199924, 200748, 200767, 200792, 200850, 201566, 201727, 201735, 201822, 202430, 202539, 202557, 203125, 203162, 203486, 203577, 203668	2023-07-08	2024-02-08
200829, 200855, 200872, 201072, 201078, 201920, 201921, 202200, 202453, 202944, 203161	2023-07-09	2024-02-09
202198	2023-07-10	2024-02-08
199802, 200875, 201067, 201110, 201129, 201150, 201582, 201855, 202199, 203260	2023-07-10	2024-02-10
201152, 201154, 201498, 201924, 202148, 202197, 202457, 202565, 202866, 204109	2023-07-11	2024-02-11
201516, 201536, 201558, 201576, 201861, 201899, 201923, 201925, 202233, 202564, 202566, 202645, 203487, 203937	2023-07-12	2024-02-12

Please note that the lot numbers in this table only represent the numeric portion of the lot number identification for test kits whose printed expiration dates have been extended. Customers may find that their test kits have printed lot numbers with additional alphabetic characters after the numeric value. If your test has a lot number listed in the table above followed by additional letters, the extended expiration dates listed also apply.

For example: a test with lot number 201843AR or 201843C, would have the same extended expiration date as lot number 201843 indicated on the table.

Lot Number	Tests with this printed expiration date (Year-Month-Day)	Now have this extended expiration date (Year-Month-Day)
202079, 202145, 202234, 202819, 202864, 202867, 204136, 206581	2023-07-13	2024-02-13
201843, 202060, 202141, 202642, 202652, 202712, 202862, 202999, 203163, 204129	2023-07-14	2024-02-14
202760, 202766, 202865, 202968, 203135, 203938, 204627	2023-07-15	2024-02-15
202469, 202476, 202830, 203108, 203262, 203263, 203397, 203631, 203939	2023-07-16	2024-02-16
202493, 202508, 202513, 202673, 202699, 203111, 203940, 204355, 204951, 209017, 210456, 211222, 211243, 211258, 211284, 211314, 211466, 211468, 211609, 212073	2023-07-17	2024-02-17
202782, 202802, 203259, 203261, 203281, 203283, 203752, 203799, 203941, 203942	2023-07-18	2024-02-18
203265, 203266, 203278, 203280, 203282, 203647, 203670, 204639	2023-07-19	2024-02-19
201915, 203405, 203700, 204351, 204980, 205489	2023-07-20	2024-02-20
203416, 203478, 203481, 203667, 203814, 203835, 204079, 204103, 204349	2023-07-21	2024-02-21
203279, 203699, 203876, 203895, 203983, 204001, 204106, 204147, 204257, 204358	2023-07-22	2024-02-22
203671, 203833, 203880, 203883, 204032, 204044, 204051, 204240, 204350, 204356	2023-07-23	2024-02-23
204241, 204258, 204264, 204318, 204348, 204353, 204357, 204469, 204529, 204536, 204600, 204644, 204746, 205401, 205402, 205476, 205624, 205656, 206168, 206368, 206406, 206600, 207761, 209136	2023-07-24	2024-02-24
204239, 204271, 204298, 204537, 204655, 204852	2023-07-25	2024-02-25
204734, 204747, 204821, 204961, 205116, 205174, 209737	2023-07-26	2024-02-26
204285, 204313, 204332, 204341, 204342, 204711, 204856	2023-07-27	2024-02-27
204540, 204744, 204762, 204797, 204884	2023-07-28	2024-02-28
204538, 204859, 204860, 204915, 205279	2023-07-29	2024-02-29
204413, 204428, 204641, 204668, 204919, 205240	2023-07-30	2024-02-29
204861, 204862, 205117, 205193, 205250, 205251	2023-08-01	2024-03-01
204708, 204849, 204947, 205160, 205194, 205388	2023-08-02	2024-03-02
205252, 205254, 205255, 205256, 205549	2023-08-03	2024-03-03
205257, 205394, 205400, 205653, 205930	2023-08-04	2024-03-04
204854, 204855, 205139, 205258, 205347, 205503, 205526, 205547, 205916, 207193, 207210, 207240, 207915, 208753, 208756, 208979, 209179, 209461, 210924	2023-08-05	2024-03-05
205152, 205180, 205529	2023-08-06	2024-03-06
205167, 205196, 205412, 205661, 205687	2023-08-07	2024-03-07

Please note that the lot numbers in this table only represent the numeric portion of the lot number identification for test kits whose printed expiration dates have been extended. Customers may find that their test kits have printed lot numbers with additional alphabetic characters after the numeric value. If your test has a lot number listed in the table above followed by additional letters, the extended expiration dates listed also apply.

For example: a test with lot number 201843AR or 201843C, would have the same extended expiration date as lot number 201843 indicated on the table.

Lot Number	Tests with this printed expiration date (Year-Month-Day)	Now have this extended expiration date (Year-Month-Day)
204964, 205312, 205530, 205586, 205691, 205787, 205917, 205924, 205931, 205977	2023-08-08	2024-03-08
205321, 205395, 205459, 205609, 205915, 205979, 206030	2023-08-09	2024-03-09
206167, 206246, 206248	2023-08-10	2024-03-10
205508, 205682, 205705, 205746, 206249, 206251, 206303, 206498, 206668, 208914, 209948	2023-08-11	2024-03-11
205736, 206294, 206514, 206593, 206620, 206680, 208737	2023-08-12	2024-03-12
205764, 205767, 206493, 206500	2023-08-13	2024-03-13
205964, 206013, 206295, 206408, 206611, 206679, 206683, 206685, 206686	2023-08-14	2024-03-14
206015, 206681, 206684, 207241, 207354, 207495	2023-08-15	2024-03-15
206585, 206682, 206689, 207009, 207386	2023-08-16	2024-03-16
207239, 208675	2023-08-17	2024-03-17
206490, 206562, 206590, 207031, 208709	2023-08-18	2024-03-18
207384, 208708, 208757	2023-08-19	2024-03-19
206540, 206591, 208989, 209005	2023-08-20	2024-03-20
206577, 206658, 206661, 206662, 206664, 208664	2023-08-21	2024-03-21
206724, 206744, 206746, 206999	2023-08-22	2024-03-22
206931, 207015, 207039, 207356, 209309	2023-08-23	2024-03-23
209091, 209141, 209161, 210353	2023-08-25	2024-03-25
207042, 207044, 207128, 207135, 207155	2023-08-26	2024-03-26
207199, 208039	2023-08-27	2024-03-27
207191, 207340, 207346, 209428, 209644	2023-08-31	2024-03-31
207336, 207353, 207679, 208069	2023-09-01	2024-04-01
207557, 207576, 207701, 211573	2023-09-02	2024-04-02
207652, 207788, 207897, 209150, 209368, 209414, 209462, 209740, 209786, 209790, 209791, 209897, 209898, 209983, 210018, 210109, 210344, 210449, 210726	2023-09-03	2024-04-03
207794, 211643	2023-09-04	2024-04-04
207890, 208076	2023-09-05	2024-04-05
210248	2023-09-06	2024-04-06
208229, 209152	2023-09-07	2024-04-07
208264, 208400, 208402, 208406	2023-09-08	2024-04-08
208093, 208151	2023-09-09	2024-04-09
208133, 208369, 208371, 208384, 208397	2023-09-10	2024-04-10
208268, 208368, 208386, 208392, 210925	2023-09-11	2024-04-11
208750, 208752, 212038	2023-09-12	2024-04-12

Please note that the lot numbers in this table only represent the numeric portion of the lot number identification for test kits whose printed expiration dates have been extended. Customers may find that their test kits have printed lot numbers with additional alphabetic characters after the numeric value. If your test has a lot number listed in the table above followed by additional letters, the extended expiration dates listed also apply.

For example: a test with lot number 201843AR or 201843C, would have the same extended expiration date as lot number 201843 indicated on the table.

Lot Number	Tests with this printed expiration date (Year-Month-Day)	Now have this extended expiration date (Year-Month-Day)
208729, 208878, 208990, 209647, 209974, 210025, 210193, 210199, 210226, 210294, 210328, 210345, 210346, 210457, 210461, 210499, 210526, 210543, 210575, 210605, 210729, 210737, 210748, 210772, 210827, 210902, 210917, 211025, 211027, 211028, 211256, 212245	2023-09-14	2024-04-14
208856, 208880	2023-09-15	2024-04-15
211192	2023-09-16	2024-04-16
211229	2023-09-18	2024-04-18
208991, 209164	2023-09-20	2024-04-20
211283	2023-09-21	2023-12-01
209408	2023-09-21	2024-04-21
209419, 210826	2023-09-22	2024-04-22
209421, 211072, 211591	2023-09-23	2024-04-23
210828, 211897	2023-09-25	2024-04-25
211216, 211557	2023-09-26	2024-04-26
211141	2023-09-27	2023-12-01
211201, 212267, 212271, 213201	2023-09-27	2024-04-27
211622, 212593	2023-09-28	2024-04-28
210196, 210463, 212603	2023-09-29	2024-04-29
211571, 211653, 212598	2023-09-30	2024-04-30
210464, 210722, 210927, 211039, 211316, 211319, 211329, 211408, 211546, 211551, 211564, 211596, 211599, 211604, 211607, 211610, 211621, 211627, 211642, 211877, 211936, 211962, 211966, 212001, 212027, 212147, 212189, 212226, 212236, 212242, 212247, 212269, 212342, 212455, 212458, 212618, 212695, 212811, 213253, 213575, 213621, 213918, 213941, 214044, 214056, 214058, 214075	2023-10-01	2024-05-01
212248, 212266, 212343, 212527, 212528, 212531, 212542, 212607, 212790, 212847, 212955, 213057, 213168, 213255, 213927, 213939	2023-10-03	2024-05-03
211340, 211423, 211574, 211595, 211634, 212454, 212604, 213213, 213258, 213556, 213613, 213638, 213650, 213657, 214045	2023-10-06	2024-05-06
211648	2023-10-08	2024-05-08
210770, 211652, 212024, 212457, 212797, 213179, 214069, 214648, 214657, 214658, 214669, 214670, 214754, 215203, 215568	2023-10-09	2024-05-09
211651	2023-10-11	2024-05-11
212270	2023-10-12	2024-05-12
211562, 212144, 212803, 213147, 213162, 213175, 213266, 213555, 215160	2023-10-13	2024-05-13

Please note that the lot numbers in this table only represent the numeric portion of the lot number identification for test kits whose printed expiration dates have been extended. Customers may find that their test kits have printed lot numbers with additional alphabetic characters after the numeric value. If your test has a lot number listed in the table above followed by additional letters, the extended expiration dates listed also apply.

For example: a test with lot number 201843AR or 201843C, would have the same extended expiration date as lot number 201843 indicated on the table.

Lot Number	Tests with this printed expiration date (Year-Month-Day)	Now have this extended expiration date (Year-Month-Day)
212264, 212350, 212534, 212540, 212585, 212595, 212799, 212814, 212816, 212947, 212950, 213574, 213583, 214047, 214061, 214077, 214199, 214200, 214201, 214206, 214207, 214281, 214284, 214292, 214296, 214298, 214300, 214641, 214662, 214751, 214767, 214777, 214802, 214811, 214815, 215068, 215075, 215083, 215093, 215164, 215173, 215408, 215541, 215544, 215567, 215578, 215579, 215580, 215834, 215971, 216392, 216395, 216402, 216455, 217729, 218038, 218150, 218161, 218193, 218235, 218284, 218348, 218838, 219005, 219013, 219049, 219112, 219114, 219116, 219181, 219339	2023-10-14	2024-05-14
215443, 215577, 215823, 215830, 215863, 215865, 215953, 216057, 216391, 216430, 216444, 216491, 216500, 216546, 217473, 217476, 217666, 217667, 217668, 217759, 218016, 218156, 218339, 218389	2023-10-27	2024-05-27
215840, 217908, 218141, 218233, 218285, 218349, 218529, 218566, 218584, 218586, 218589, 218611, 218619, 218639, 218685, 218754, 218764, 218778, 218784, 218812, 219035	2023-11-07	2024-06-07
219026	2023-11-19	2024-06-19
218632, 218683	2023-11-20	2024-06-20
222033	2023-11-23	2024-06-23
216464	2023-11-28	2024-06-28
217448	2023-11-29	2024-06-29
216737, 217021, 217811	2023-12-01	2024-07-01
217441	2023-12-03	2024-07-03
217440, 218128	2023-12-04	2024-07-04
217335, 217444, 218978	2023-12-05	2024-07-05
217451, 217718, 217720, 218118, 218129, 223185, 223802	2023-12-06	2024-07-06
217724	2023-12-07	2024-07-07
218314	2023-12-08	2024-07-08
218592	2023-12-09	2024-07-09
218289, 218590, 218622	2023-12-10	2024-07-10
218686, 218753, 218885	2023-12-11	2024-07-11
218340, 218815, 219074, 219081	2023-12-12	2024-07-12
218782, 219012, 219078, 223051	2023-12-13	2024-07-13
219203	2023-12-14	2024-07-14
218616, 218629, 218644, 218678	2023-12-15	2024-07-15
219045, 219176	2023-12-16	2024-07-16
219061	2023-12-17	2024-07-17
219376	2023-12-18	2024-07-18

Please note that the lot numbers in this table only represent the numeric portion of the lot number identification for test kits whose printed expiration dates have been extended. Customers may find that their test kits have printed lot numbers with additional alphabetic characters after the numeric value. If your test has a lot number listed in the table above followed by additional letters, the extended expiration dates listed also apply.

For example: a test with lot number 201843AR or 201843C, would have the same extended expiration date as lot number 201843 indicated on the table.

Lot Number	Tests with this printed expiration date (Year-Month-Day)	Now have this extended expiration date (Year-Month-Day)
219409, 219437, 219709, 221038	2023-12-19	2024-07-19
219428	2023-12-20	2024-07-20
219488, 221368	2023-12-22	2024-07-22
221695	2023-12-25	2024-07-25
221376, 221478, 221684	2023-12-26	2024-07-26
221465	2023-12-27	2024-07-27
220606, 221134, 221388, 221473, 221475, 222712, 223000, 223145, 223489, 225003, 225075, 225201, 226201	2023-12-29	2024-07-29
220633, 221367, 221482	2023-12-30	2024-07-30
220984, 221018, 221366, 221467	2024-01-01	2024-08-01
220963, 220990, 221002, 221680, 222044, 222061, 222451	2024-01-02	2024-08-02
221284, 221396, 222053, 222206, 222208, 223499	2024-01-03	2024-08-03
221405, 221426, 222209, 222456, 223804	2024-01-04	2024-08-04
221247, 221453, 221876, 221929	2024-01-05	2024-08-05
221411, 221696, 222211, 222224, 223819	2024-01-06	2024-08-06
221679, 221906, 222115, 222210, 222212, 222221, 222227, 222234, 222373, 222374, 222375, 222385, 222417, 222429, 222440, 222461, 222480, 222558, 222752, 222917, 223021, 223024, 223026, 223045, 223190, 223335, 223336, 223417, 223469, 223487, 223518, 223533, 223601, 223622, 223626, 224111, 224351, 224382, 225417, 226064, 226202, 226350, 226465, 226571, 226580, 226581, 226622, 226752, 227897, 227919, 227957, 227964, 228001, 228004, 228009, 228014, 228061, 228062, 228064, 228497, 228509, 228562, 228564, 228634, 228635, 228641, 228644, 228662, 228663, 228666, 228699, 228701, 228705, 228706, 228809	2024-01-07	2024-08-07
222833	2024-01-07	2024-08-15
222384, 222406, 222443	2024-01-08	2024-08-08
222116, 222117	2024-01-09	2024-08-09
222530, 223813	2024-01-10	2024-08-10
222452, 224248	2024-01-11	2024-08-11
222687, 222754, 223468, 223509, 223512, 223514, 223534, 224083, 224390, 224394, 224453, 224989	2024-01-12	2024-08-12
222376, 222929, 224703	2024-01-13	2024-08-13
223023, 223040, 223043, 223333, 223466, 224427	2024-01-14	2024-08-14
222546, 222994	2024-01-15	2024-08-15
223153, 224425, 225093, 226148, 226892, 227601, 227690, 227758	2024-01-16	2024-08-16
224877	2024-01-17	2024-08-17

Please note that the lot numbers in this table only represent the numeric portion of the lot number identification for test kits whose printed expiration dates have been extended. Customers may find that their test kits have printed lot numbers with additional alphabetic characters after the numeric value. If your test has a lot number listed in the table above followed by additional letters, the extended expiration dates listed also apply.

For example: a test with lot number 201843AR or 201843C, would have the same extended expiration date as lot number 201843 indicated on the table.

Lot Number	Tests with this printed expiration date (Year-Month-Day)	Now have this extended expiration date (Year-Month-Day)
223619, 223678, 223682, 224148, 224360, 224396, 224428, 224429, 224448, 224464, 224636, 224873, 224992, 224994, 224999, 225089, 225095, 225100, 225186, 225209, 225385, 225584, 225710, 226040, 226066, 226068, 226103, 226152, 226357, 226475, 226491, 226496, 226639, 227500, 227688, 227889, 227942, 228063, 228646, 228664, 228698, 228702, 228703, 228768, 228796	2024-01-18	2024-08-18
224249, 224370	2024-01-19	2024-08-19
224250, 224354, 224426, 225091	2024-01-20	2024-08-20
224875, 224880	2024-01-21	2024-08-21
224068, 224883	2024-01-22	2024-08-22
224199, 224397, 224398, 224403, 224449, 224503, 224700, 224701, 224983, 224986, 224993, 225085, 225141, 225161, 225179, 225416, 225421, 225429, 225431, 225534, 225551, 225568, 225599, 225699, 225711, 225720, 225933, 225950, 226008, 226157, 226168, 226180, 226196, 226248, 226253, 226431, 226677, 227502, 227559, 228700, 228777, 229052, 229053	2024-01-23	2024-08-23
224637	2024-01-25	2024-08-25
226063	2024-01-26	2024-08-26

Please note that the lot numbers in this table only represent the numeric portion of the lot number identification for test kits whose printed expiration dates have been extended. Customers may find that their test kits have printed lot numbers with additional alphabetic characters after the numeric value. If your test has a lot number listed in the table above followed by additional letters, the extended expiration dates listed also apply.

For example: a test with lot number 201843AR or 201843C, would have the same extended expiration date as lot number 201843 indicated on the table.